



BAHAMA SPAS

RELAXED AND HAPPY



2019 Spa & Swim Spa Program

Product Changes For 2019 Bahama Models



- New K-1000 & K-300 Topside Design
- Optional New Skirts - Mocha and Coastal Gray
- New “Orion” Jets

Value Added Features That Set Bahama Spas Apart From Others

- 1 Digital Controls**
On Demand Hydrotherapy
- 2 Air & Water Diverters**
User friendly design allows user to adjust the amount of air and water pressure
- 3 Maintenance Free Skirt Panels**
with optional Two Tone / LED illuminated corner panels
- 4 Fountain Jets & Waterfalls**
(Bimini equipped with waterfall)
- 5 UV Treated, Padded Headrests**
- 6 Extra Large Footwell**
(Calf and ankle jets included on select models)
- 7 Adjustable Stainless Steel Jets**
(Shown with Backlit Jet Option, Jet styles vary by model)

At Bahama Spas we develop a unique product. We invest time into constructing well-built spas, use the highest quality materials and develop a state-of-the-art therapeutic and entertainment user experience. An infinite amount of research stands behind the jet placement in every Bahama Spa. These spas are built for style, stress reduction, and therapeutic benefits. From comfort seating with UV resistant padded headrests to powerful pumps, Bahama rejuvenates both body and mind.



Engineering Features

1

Icynene™ Insulating Foam 

2

Optional 24hr Circulation Pump

3


Superior Bond - Double Protection

Glued and Clamped fittings ensure in an extra secure bond between pipes and jets

4

Oversized Pump System


Energy efficient on both high and low speeds with 56 Frame design. Installed on anti-vibration and noise reducing pad



1

2

- Up To Four Times The Filtration
- Adds Life To Regular Spa Pump
- Energy Efficient - Reduces Cost
- Pump Is Whisper Quiet
- Reducing Your Electrical Bill



* The chart data is based on 10 hours of daily filtration required for an ozonator or bromine generator.

** Electricity price at \$.15 / KWH \$



3

4



Introducing our full-featured in.k1000 keypad with its color capacitive touch screen display.



Fun, simple, engaging Parting ways with physical buttons, keys and overlays, our in.k1000 touch screen keypad is fun to use and simple to learn. It features an intuitive and engaging one level menu interface

Truly Interactive


Mode and function selection wheels, all-on/all-off one touch activation key, interactive display icons and on-screen reminders make for a unique user interface. Get direct feedback and seamless interaction with your spa and its value added accessories like in.clear, in.mix and in.stream 2



Larger, Faster, Cooler

Driven by a powerful 400 MHz processor, Gecko's in.k1000 keypad features an eye-catching 4.3 in. 256K color LCD capacitive touch screen display. Resting in a thin and beautiful enclosure that houses its cutting-edge electronics, in.k1000 fits perfectly on the edge of any spa.

New / Larger K300 Topside Control



in.Touch2™ Remote Spa Operation

Easily integrate your spa to the Internet of Things! Gecko Alliance's in.touch 2 ultimate Wi-Fi remote control for your spa



in.Mix™ Lighting System

Stunning underwater light shows. Define independent zones in the spa.



SimpleClear™ Water Sanitization

The SimpleClear® UV-C system offers clean and clear water. Using a Hybrid / High Intensity Vacuum Ultraviolet (VUV) technology to neutralize waterborne pathogens and reduce the amount of sanitizer you use. SimpleClear® makes it easier than ever before to maintain clean, clear water.



- Reduces Chemical Usage
- Eliminates Odors
- Low Cost, Low Voltage, Low Maintenance Operation
- No Corrosive By-products such as Nitric Acid or Nitrogen
- Up To 20,000 System Life Hours

in.Stream™, Integrated Bluetooth™ Audio System

Whether you are relaxing alone, sharing time with a loved one or entertaining friends—the sound of music always adds pleasure to the occasion. Bahama Spas offer an optional Bluetooth™ stereo system which includes quality marine speakers for the ultimate sound quality that parallels the Bahama models.

Total audio control. Streamed from your spa through the K-1000 .Topside.



Optional Audio System; Bluetooth™ Audio with Marine Grade Speakers

- Control from Topside
- Marine Grade Speakers
- Specifically Designed For Spas



in.Stream™ Audio System



The Bluetooth® word mark and logo are registered trademarks owned by Bluetooth SIG, Inc. Other trademarks and trade names are those of their respective owners

Maintenance Free Skirting and Color Combination Options



Whispering Winds



Glacier Mountain



Majestic Sky II



Midnight Canyon




Pearl Shadow



Sterling Silver



7th Heaven



Cameo



Storm Clouds



Sierra



Tuscan Sun




Crimson Night



Gray



Black



Espresso



Canyon Gray



Sierra Brown



Please note that when ordering Stone skirting the height will be 36" and not 39"

Lucite® SPA

Lucite is a registered trademark of Lucite International, Inc.

Note: Color samples shown are representations of actual color, and are for identification only. Because the color may vary, there is no guarantee that this color will be an exact match to the image shown.




Hot Water Hydrotherapy And The Benefits

Dynamic hydrotherapy is our primary goal, it is the heart of our spas. An infinite amount of research stands behind the jet placement in every Bahama Spa. These spas are built for style, stress reduction, and therapeutic benefits. You won't have to play "musical chairs" to gain the utmost comfort from the generous number of therapy jets. These jets are all connected by the Bahama plumbing system, which provides maximum water flow through the use of extra large hoses and tubing. Sure-grip fittings ensure a secure bond between pipes and jets. Neck Jets target neck and shoulders, massage jets soothe shoulders and lower back, Carpal Tunnel Jets ease hands and fingers while Jumbo jets, located in the footwell, provide the ultimate foot massage.


- Strategically Placed For The Utmost Benefits
- Jet Placement Targets Major Muscle Groups For Fast Pain And Stress Relief
- Adjustable, Interchangeable Jets Allow You To Customize The Action
- Diverter Controls Allow The User To Adjust The Amount Of Water Pressure To Each Seat



(Large) Power Massage
(Multi Shower)




(Large) Power Rifle
(Enhanced Steady Stream)



Large Face Poly Twin Roto
(Rotating Dual Stream)



Mini Rifle
(Enhanced Steady Stream)




Bahama Spas' Hydrotherapy System Relieves:




- 1 Headaches
- 2 Shoulders & Rotator Cuff
- 3 Sports Elbow
- 4 Lower Back Pain & Menstrual Tension
- 5 Carpal Tunnel Syndrome
- 6 Sciatica
- 7 Knee Pain
- 8 Calf Muscle Tension & Poor Circulation
- 9 Heel Spurs & Arch Pain




Large Directional
(Steady Stream)



Mini Massage
(Three Stream Shower)



Cluster Shower
(Enhanced Multi Shower)



Oversized Master Massage
(Enhanced Multi Shower / Footwell)



Bimini

(Lounger)



Size: 72" x 72" x 33.5"
Jets: 21 Stainless Steel Jets
Gallons: 130

System

Cascading Waterfall
Electrical 110V / 220V
AMPS 20A / 60A
Digital Controls
*VGB Compliant Intake
Pumps (Qty / Size BHP) **1/3 - 1/6
Pump Frame 48 - 56
4kW Heater
Filtration System Size 50 ft.2
Icynene™ Insulation
LED Underwater-lighting

Interior / Exterior

Acrylic Surface Material
Maintenance Free Skirting
ABS Bottom Surface
Air Diverters
On/Off Diverter
Comfort Padded Headrest

Weight: Dry / Filled (approx.)

350 lbs. / 1390 lbs

Treasure Cay

(Bench)



Size: 81" x 79" x 36"
Jets: 30 Stainless Steel Jets
Gallons: 320

System

Cascading Waterfall
Electrical 110V / 220V
AMPS 20A / 60A
Digital Controls
*VGB Compliant Intake
Pumps (Qty / Size BHP) **1/3 - 1/6
Pump Frame 48 - 56
4kW Heater
Filtration System Size 50 ft.2
Icynene™ Insulation
LED Underwater Lighting

Interior / Exterior

Acrylic Surface Material
Maintenance Free Skirting
ABS Bottom Surface
Air Diverters
On/Off Diverter
Comfort Padded Headrest

Weight: Dry / Filled (approx.)

600 lbs. / 3160 lbs.

Sunset Cove

(Lounger)



Size: 60" x 82.5" x 33.5"
 Jets: 36 Stainless Steel Jets
 Gallons: 225

System

Fountain Jets
 Electrical 220V / 60A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 1 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 50 ft.2
 Icynene™ Insulation
 LED Underwater Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 On/Off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

350 lbs. / 2150 lbs

Tranquility Harbor

(Bench)



Size: 82" x 82" x 39"
 Jets: 42 Stainless Steel Jets
 Gallons: 325

System

Cascading Waterfall
 Electrical 220V / 60 A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 50 ft.2
 Icynene™ Insulation
 LED Underwater Lighting
 LED Filter Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/Off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

675 lbs. / 3475 lbs.

Serenity Cove

(Lounger)



Size: 82" x 82" x 39"
 Jets: 42 Stainless Steel Jets
 Gallons: 325

System

Cascading Waterfall
 Electrical 220V / 60 A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 50 ft.2
 Icynene™ Insulation
 LED Underwater Lighting
 LED Filter Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/Off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

675 lbs. / 3475 lbs.

Ocean Breeze

(Bench)



Size: 92" x 92" x 39"
 Jets: 42 Stainless Steel Jets
 Gallons: 425

System

Fountain Jets
 Electrical 220V / 60 A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 50 ft.2
 Icynene™ Insulation
 LED Underwater Lighting
 LED Filter Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/Off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

900 lbs. / 4370 lbs.

Cabana Bay

(Lounger)



Size: 92" x 92" x 39"
Jets: 42 Stainless Steel Jets
Gallons: 425

System

Fountain Jets
 Electrical 220V / 60 A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 50 ft.2
 Icynene™ Insulation
 LED Underwater Lighting
 LED Filter Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/Off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

900 lbs. / 4370 lbs.

Twin Palms

(Lounger)



Size: 60" x 82.5" x 30"
Jets: 50 Stainless Steel Jets
Gallons: 225

System

Fountain Jets
 Electrical 220V / 60 A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 50 ft.2
 Icynene™ Insulation
 LED Underwater Lighting
 LED Filter Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/Off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

375 lbs. / 2175 lbs.

Nassau Royale

(Lounger)



Size: 82" x 82" x 39/45"
Jets: 73 Stainless Steel Jets
Gallons: 350

System

Fountain Jets
Cascading Waterfall
Electrical 220V / 60A
Digital Controls
*VGB Compliant Intake
Pumps (Qty / Size BHP) 2 / 7.0
Pump Frame 56
4kW Heater
Filtration System Size 100 ft.2
Icynene™ Insulation
LED Underwater Lighting

Interior / Exterior

Acrylic Surface Material
Maintenance Free Skirting
ABS Bottom Surface
Air Diverters
Water Diverters
Neck Jet Diverter
Comfort Padded Headrest

Weight: Dry / Filled (approx.)

750 lbs. / 3935 lbs.

Caribbean Breeze

(Bench)



Size: 82" x 82" x 39/45"
Jets: 73 Stainless Steel Jets
Gallons: 350

System

Fountain Jets
Cascading Waterfall
Electrical 220V / 60A
Digital Controls
*VGB Compliant Intake
Pumps (Qty / Size BHP) 2 / 7.0
Pump Frame 56
4kW Heater
Filtration System Size 100 ft.2
Icynene™ Insulation
LED Underwater Lighting

Interior / Exterior

Acrylic Surface Material
Maintenance Free Skirting
ABS Bottom Surface
Air Diverters
Water Diverters
Neck Jet Diverter
Comfort Padded Headrest

Weight: Dry / Filled (approx.)

750 lbs. / 3935 lbs.

Coconut Bay II / III

(Lounger)



(Available in II 7.0 and III 6.0 bhp Pump Systems)

Size: 92" x 92" x 39/45"
Jets: 74 Stainless Steel Jets
Gallons: 425

System

Fountain Jets
 Cascading Waterfall
 Electrical 220V / 60A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 7.0 or 3 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 100 ft.2
 Icynene™ Insulation
 LED Underwater Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

900 lbs. / 4300 lbs.

Pleasure Cove II / III

(Dual Lounger)



(Available in II 7.0 and III 6.0 bhp Pump Systems)

Size: 92" x 92" x 39/45"
Jets: 80 Stainless Steel Jets
Gallons: 425

System

Cascading Waterfall
 Electrical 220V / 60A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 7.0 or 3 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 100 ft.2
 Icynene™ Insulation
 LED Underwater Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

900 lbs. / 4300 lbs.

Palm Island II / III

(Bench)



(Available in II 7.0 and III 6.0 bhp Pump Systems)

Size: 92" x 92" x 39/45"
Jets: 76 Stainless Steel Jets
Gallons: 425

System

Fountain Jets
 Electrical 220V / 60A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 7.0 or 3 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 100 ft.2
 Icynene™ Insulation
 LED Underwater Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

900 lbs. / 4300 lbs.

Paradise Bay II / III

(Lounger)



Size: 92" x 102" x 39/45"
Jets: 83 Stainless Steel Jets
Gallons: 475
 (Available in II 7.0 and III 6.0 bhp Pump Systems)

System

Fountain Jets
 Electrical 220V / 60A
 Digital Controls
 *VGB Compliant Intake
 Pumps (Qty / Size BHP) 2 / 7.0 or 3 / 6.0
 Pump Frame 56
 4kW Heater
 Filtration System Size 100 ft.2
 Icynene™ Insulation
 LED Underwater Lighting

Interior / Exterior

Acrylic Surface Material
 Maintenance Free Skirting
 ABS Bottom Surface
 Air Diverters
 Water Diverters
 Neck Jet Diverter
 On/off Diverter
 Comfort Padded Headrest

Weight: Dry / Filled (approx.)

1000 lbs. / 4800 lbs.

Cover Features & Benefits

- 1 Double Sewn, Hand Grips**
Provide superior durability and an extra level of comfort.
- 2 Insulated Heat Bags**
Helps to eliminate heat loss between the cover fold when spa is not in use.
- 3 4 Child Resistant Locking Mechanisms**
Fasten to each corner of the spa, providing that extra peace of mind.
- 4 Sealed Interior Hexene Poly Bag**
Protects inner foam core by reducing sweating and moisture.

Bahama recommends that you keep your cover on and locked when spa is not in use!



Bahama Spas Rest-Assured Warranty



Ten Year Shell Structure Warranty

Bahama Spas warrants its spas not to leak, meaning to be structurally sound and capable of holding water only, and against loss of water through the fiberglass laminate of the spa shell caused by defects in materials and/or workmanship for a period of TEN YEARS from the original date of purchase.



Seven Year Surface Finish of Shell Warranty

Bahama Spas warrants the surface finish of its spas to be free from blistering and cracking due to defects in the acrylic surface material for a period of SEVEN YEARS from the original date of purchase.



Five Year Component and Labor Warranty

Bahama Spas warrants the electrical components: heaters, pumps, relays and contactors and other spa components against malfunction, leaks and/or defects in materials and/or workmanship for a period of FIVE YEARS from the original date of purchase.



Five Year Plumbing Warranty

Bahama Spas warrants all plumbing parts to be free from defects in material and/or workmanship for a period of FIVE YEARS from the original date of purchase.



One Year - Other Warranties

See Bahama Spas Limited Warranty for additional information

Swim Spas

Utopia Cay



Size: 92" x 160" x 51"
Jets: 29 Stainless Steel Jets
Gallons: 1,100

System

2 Illuminated River Jets
5" LED Footwell Light
K450 Digital Topside Control
1 - 4.0kW Heater
1 - 4.0bhp Viper 2 Speed Pump
1 - 4.0bhp Viper 1 Speed Pump
220 V / 60 AMP Electrical
100 ft2 Filtration System
Stainless Steel Grab Bar
Foam Insulation
UV-C Ozone
(6) Illuminated Fountain jets
Maintenance Free Skirting
2 Pillows
4" Blue Tile Accent

Weight: Dry / Filled (approx.)

2,200 lbs. / 11,000 lbs.

*Utopia Cay not available with variable speed pumps

Pro 13'



Size: 92" x 160" x 54"
Jets: 10 Stainless Steel Jets
Gallons: 1,530

System

2 Illuminated River Jets
LED Lighting
Underwater Light
Digital Topside Control
1 - 4.0kW Heater
2 - 5.0bhp 56 Frame
1 - 7.0bhp 56 Frame
220 V / 60 AMP Electrical
100 ft2 Filtration System
3 Stainless Steel Grab Bars
Illuminated Jets
6 Illuminated Fountain Jets
Foam Insulation
UV-C Ozone
Maintenance Free Skirting
Pillows
Swimming Lane Graphics
4" Blue Tile Accent

Weight: Dry / Filled (approx.)

2,100 lbs. / 14,500 lbs.

Optional Features

- (Circ) Circulation Pump
- in.Touch System
- (STB) Bluetooth Audio with Dock and LED Marine Grade Speakers
- (STI2) Infinity™ AM/FM / Bluetooth Audio
- Blower
- Rowing Equipment
- Swim Tether
- *Variable Speed Pumps with Digital Touch Screen

Additional charges may apply

Optional White Package

White Trix and SS Jets
Top rail LED Lighting
Illuminated Fountains
Illuminated Waterfalls
Illuminated White Diverters
Illuminated Topside
White Suctions
White Weir Door
Ultra Light Gray Pillows



Maintenance Free Skirting Options



Pro 16'



Size: 91" x 151" x 55"
 Jets: 29 Stainless Steel Jets
 Gallons: 1,730

System

3 Illuminated River Jets
 LED Lighting
 Underwater Lights
 Digital Topside Control
 1 - Heater
 3 - 4.0bhp Viper Pumps
 1 - 7.0bhp 56 Frame
 220 V / 60 AMP Electrical
 100 ft2 Filtration System
 3 Stainless Steel Grab Bars
 Illuminated Jets
 8 Illuminated Fountain Jets
 Foam Insulation
 UV-C Ozone
 Maintenance Free Skirting
 Rowing/Exercise System
 Pillows
 Swimming Lane Graphics
 4" Blue Tile Accent
 (IN.ST) In.Stream Audio System
 w / Four Pop-Up Speakers

Weight: Dry / Filled (approx.)

2,400 lbs. / 17,000 lbs.

Pro 17'



Size: 92" x 199" x 54"
 Jets: 30 Stainless Steel Jets
 Gallons: 1,850

System

3 Illuminated River Jets
 LED Lighting
 Underwater Lights
 Digital Topside Control
 2 - 4.0kW Heaters
 3 - 5.0bhp 56 Frame
 1 - 7.0bhp 56 Frame
 220 V / 60 AMP Electrical
 100 ft2 Filtration System
 3 Stainless Steel Grab Bars
 Illuminated Jets
 6 Illuminated Fountain Jets
 Illuminated Cup Holders
 Foam Insulation
 UV-C Ozone
 Maintenance Free Skirting
 Rowing/Exercise System
 Pillows
 Swimming Lane Graphics
 4" Blue Tile Accent
 Bluetooth Audio
 4 LED Marine Grade Speakers

Weight: Dry / Filled (approx.)

2,700 lbs. / 17,500 lbs.

Pro Dual 19'



Size: 92" x 224" x 54"
 Jets: 39 Stainless Steel Jets
 Gallons: Swim 1,500 / Spa 270

System

3 Illuminated River Jets
 LED Lighting
 Under Water Lights
 Digital Topside Controls
 1 - 4.0kW Heater on Swim Side
 1 - 2.0kW Heater on Spa Side
 3 - 5.0bhp 56 Frame
 2 - 7.0bhp 56 Frame
 2 - 220 V / 60 AMP Electrical
 150 ft2 Filtration System
 3 Stainless Steel Grab Bars
 8 Illuminated Fountain Jets
 Illuminated Cup Holders
 Foam Insulation
 2 - UV-C Ozone Generators
 Maintenance Free Skirting
 Rowing/Exercise System
 Pillows
 Swimming Lane Graphics
 4" Blue Tile Accent
 Bluetooth Audio
 4 LED Marine Grade Speakers

Weight: Dry / Filled (approx.)

3,500 lbs. / 17,700 lbs.

Bahama Swim Spas Rest-Assured Warranty



Twenty Year Shell Structure Warranty

Bahama Spas warrants its spas not to leak, meaning to be structurally sound and capable of holding water only, and against loss of water through the fiberglass laminate of the spa shell caused by defects in materials and/or workmanship for a period of TWENTY YEARS from the original date of purchase.



Seven Year Surface Finish of Shell Warranty

Bahama Spas warrants the surface finish of its spas to be free from blistering and cracking due to defects in the acrylic surface material for a period of SEVEN YEARS from the original date of purchase.



Five Year Component and Labor Warranty

Bahama Spas warrants the electrical components: heaters, pumps, relays and contactors and other spa components against malfunction, leaks and/or defects in materials and/or workmanship for a period of FIVE YEARS from the original date of purchase.



Five Year Plumbing Warranty

Bahama Spas warrants all plumbing parts to be free from defects in material and/or workmanship for a period of FIVE YEARS from the original date of purchase.



One Year - Other Warranties

See Bahama Spas Limited Warranty for additional information



Notes

Your Bahama Spa is built to bring you relaxation for mind and body.
With therapeutic benefits, you, your family, and friends can come together
to strengthen bonds, renew relationships, and enjoy each other's company.



BAHAMA SPAS
RELAXED AND HAPPY

2018 The manufacturer reserves the right to change product selections and/or make product modifications without notice.
Your Bahama Spas Dealer/Contractor is an independent business person and not an agent or employee of the manufacturer of Bahama Spas product line or any of its subsidiaries.
Neither the manufacturer of Bahama Spas nor its subsidiaries accept any responsibility for any representations, statements or contracts made by any Spa Dealer/Contractor.

